


Punch-Lok Clamps

ORIGINAL PREFORMED PUNCH TYPE CLAMPS

TO ORDER:

Measure the outside diameter of the hose with its fitting inserted. Then select the next larger inside diameter clamp by catalog number. Using the hose size is not sufficient information, because different thicknesses of hose wall result in varying outside diameters.

Punch-Lok clamps are available in various materials to suit your needs. High-carbon electro-galvanized steel clamps will satisfy nearly all requirements. Stainless steel clamps are for use in more corrosive situations. Everdur copper-base clamps are also available on special order.



Double-wrapped, triple locked Punch-Lok clamps hold things tightly, securely, permanently!



Double wrapped and formed to a given diameter, ready for application.

STAINLESS STEEL TYPE 302

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
P-3-S	1 ³ / ₁₆ "	3/ ₈ "	100
P-310-S	1"	3/ ₈ "	100
P-311-S	1 ¹ / ₈ "	3/ ₈ "	100
P-316-S	2"	3/ ₈ "	100
P-4-S	1"	5/ ₈ "	100
P-5-S	1 ¹ / ₄ "	5/ ₈ "	100
P-6-S	1 ¹ / ₂ "	5/ ₈ "	100
P-7-S	1 ³ / ₄ "	5/ ₈ "	100
P-8-S	2"	5/ ₈ "	100
P-9-S	2 ¹ / ₄ "	5/ ₈ "	100
P-10-S	2 ¹ / ₂ "	5/ ₈ "	50
P-11-S	2 ³ / ₄ "	5/ ₈ "	50
P-12-S	3"	5/ ₈ "	50
P-14-S	3 ¹ / ₂ "	5/ ₈ "	50
P-16-S	4"	5/ ₈ "	50
P-18-S	4 ¹ / ₂ "	5/ ₈ "	50
P-20-S	5"	5/ ₈ "	50
P-24-S	6"	5/ ₈ "	50
P-28-S	7"	5/ ₈ "	50
P-32-S	8"	5/ ₈ "	50

HIGH-CARBON ELECTRO-GALVANIZED STEEL

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
P-3	1 ³ / ₁₆ "	3/ ₈ "	100
P-310	1"	3/ ₈ "	100
P-311	1 ¹ / ₈ "	3/ ₈ "	100
P-316	2"	3/ ₈ "	100
P-4	1"	5/ ₈ "	100
P-5	1 ¹ / ₄ "	5/ ₈ "	100
P-6	1 ¹ / ₂ "	5/ ₈ "	100
P-7	1 ³ / ₄ "	5/ ₈ "	100
P-8	2"	5/ ₈ "	100
P-9	2 ¹ / ₄ "	5/ ₈ "	100
P-10	2 ¹ / ₂ "	5/ ₈ "	50
P-11	2 ³ / ₄ "	5/ ₈ "	50
P-12	3"	5/ ₈ "	50
P-14	3 ¹ / ₂ "	5/ ₈ "	50
P-16	4"	5/ ₈ "	50
P-18	4 ¹ / ₂ "	5/ ₈ "	50
P-20	5"	5/ ₈ "	50
P-24	6"	5/ ₈ "	50
P-28	7"	5/ ₈ "	50
P-32	8"	5/ ₈ "	50

OPEN-END PUNCH-TYPE CLAMPS



Non-spring coiled to a given diameter but not laced up through the lok.

STAINLESS STEEL TYPE 303

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
PO-3-S	1 ³ / ₁₆ "	3/ ₈ "	100
PO-311-S	1 ¹ / ₈ "	3/ ₈ "	100
PO-316-S	2"	3/ ₈ "	100
PO-325-S	3 ¹ / ₈ "	3/ ₈ "	100
PO-8-S	2"	5/ ₈ "	100
PO-10-S	2 ¹ / ₂ "	5/ ₈ "	50
PO-12-S	3"	5/ ₈ "	50
PO-14-S	3 ¹ / ₂ "	5/ ₈ "	50
PO-16-S	4"	5/ ₈ "	50
PO-18-S	4 ¹ / ₂ "	5/ ₈ "	50
PO-20-S	5"	5/ ₈ "	50
PO-24-S	6"	5/ ₈ "	50
PO-28-S	7"	5/ ₈ "	25
PO-32-S	8"	5/ ₈ "	25
PO-36-S	9"	5/ ₈ "	25
PO-40-S	10"	5/ ₈ "	25
PO-48-S	12"	5/ ₈ "	25

HIGH-CARBON ELECTRO-GALVANIZED STEEL

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
PO-3	1 ³ / ₁₆ "	3/ ₈ "	100
PO-311	1 ¹ / ₈ "	3/ ₈ "	100
PO-316	2"	3/ ₈ "	100
PO-325	3 ¹ / ₈ "	3/ ₈ "	100
PO-8	2"	5/ ₈ "	100
PO-10	2 ¹ / ₂ "	5/ ₈ "	50
PO-12	3"	5/ ₈ "	50
PO-14	3 ¹ / ₂ "	5/ ₈ "	50
PO-16	4"	5/ ₈ "	50
PO-18	4 ¹ / ₂ "	5/ ₈ "	50
PO-20	5"	5/ ₈ "	50
PO-24	6"	5/ ₈ "	50
PO-28	7"	5/ ₈ "	25
PO-32	8"	5/ ₈ "	25
PO-36	9"	5/ ₈ "	25
PO-40	10"	5/ ₈ "	25
PO-48	12"	5/ ₈ "	25

Larger size clamps are available on special order at quantities and prices subject to quotation at time of order. Contact your authorized Punch-Lok Distributor.



PUNCH-LOK

Punch-Lok Clamps

PREFORMED J-LOK CLAMPS

PUNCH-LOK

PUNCH-LOK J-LOK clamps have stainless steel buckles for added strength and corrosion resistance - with your choice of stainless steel or high carbon electro galvanized steel bands. Totally different than punch type clamps these J-LOK clamps are not for use with punch-type tools. They are designed exclusively for application with non-punch type mechanical and air tools.



Double wrapped double locked J-LOK clamps provide versatile clamping in many situations.

STAINLESS STEEL

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
PJ-201	1 3/16"	3/8"	100
PJ-243	1"	3/8"	100
PJ-293	1"	5/8"	100
PJ-294	1 1/4"	5/8"	100
PJ-202	1 3/8"	3/8"	100
PJ-205	1 1/2"	5/8"	100
PJ-206	1 3/4"	5/8"	100
PJ-245	2"	3/8"	100
PJ-207	2"	5/8"	100
PJ-227	2"	3/4"	100
PJ-208	2 1/4"	5/8"	100
PJ-209	2 1/2"	5/8"	100
PJ-210	2 3/4"	3/4"	50
PJ-246	3"	3/8"	100
PJ-211	3"	3/4"	50
PJ-255	3 1/4"	3/8"	100
PJ-212	3 1/2"	3/4"	50
PJ-213	4"	3/4"	25
PJ-214	4 1/2"	3/4"	25
PJ-215	5"	3/4"	25
PJ-216	6"	3/4"	25
PJ-218	7"	3/4"	25
PJ-219	8"	3/4"	25

HIGH-CARBON ELECTRO-GALVANIZED STEEL

Catalogue Number	Clamp Inside Diameter	Band Width	Clamps per Std Carton
P-3	1 3/16"	3/8"	100
P-310	1"	3/8"	100
P-311	1 3/8"	3/8"	100
P-316	2"	3/8"	100
P-4	1"	5/8"	100
P-5	1 1/4"	5/8"	100
P-6	1 1/2"	5/8"	100
P-7	1 3/4"	5/8"	100
P-8	2"	5/8"	100
P-9	2 1/4"	5/8"	100
P-10	2 1/2"	5/8"	50
P-11	2 3/4"	5/8"	50
P-12	3"	5/8"	50
P-14	3 1/2"	5/8"	50
P-16	4"	5/8"	50
P-18	4 1/2"	5/8"	50
P-20	5"	5/8"	50
P-24	6"	5/8"	50
P-28	7"	5/8"	50
P-32	8"	5/8"	50

NOTE: These clamps are not to be used with punch-type tools.

Punch-Lok Banding & Strapping

STAINLESS STEEL BANDING

PUNCH-LOK

Punch-Lok Banding

Available in standard stainless steel, high-carbon electrogalvanized steel, and Type 316 stainless steel. Thread band through buckle twice for greatest strength. To apply, use Punch-Lok banding tool, Model PB-001 or equivalent.

100' PER ROLL:

Catalogue Number	Band Width	Band Thickness
STANDARD-DUTY TYPE 302		
PB-203	3/8"	.025"
PB-204	1/2"	.030"
PB-205	5/8"	.030"
PB-206	3/4"	.030"
HEAVY-DUTY TYPE 302		
PG-430	3/4"	.042/.044"
PG-431	1"	.042/.044"
PG-432	1 1/4"	.042/.044"
LIGHT-DUTY TYPE 302		
PC-3-S	3/8"	.020/.023"
PC-4-S	1/2"	.020/.023"
PC-5-S	5/8"	.020/.023"
PC-6-S	3/4"	.020/.023"
SPECIAL-DUTY TYPE 316		
PC-403	3/8"	.025"
PC-404	1/2"	.030"
PC-405	5/8"	.030"
PC-406	3/4"	.030"



HIGH-CARBON ELECTRO-GALVANIZED STEEL BANDING

Catalogue Number	Band Width	Band Thickness
PB-303	3/8"	.025"
PB-304	1/2"	.030"
PB-305	5/8"	.030"
PB-306	3/4"	.030"

COIL CLAMP STRAPPING

Economical Punch-Lok Coil Clamp Strapping

Thinner than banding. Easy to use and handy to carry on job site. Easily applied with the original Punch-Lok P-1 clamping tool with only two hands, requiring no vise.

HIGH-CARBON ELECTRO-GALVANIZED STEEL STRAPPING

Catalogue Number	Band Width	Band Thickness
PC-3-G	3/8"	.025"
PC-5-G	5/8"	.028"



Punch-Lok Buckles, Clips, Brackets


Punch-Lok Buckles, Clips and Loks

May be used for single or double wrap banding applications.
Available in high corrosion-resistant stainless steel.

PUNCH-LOK

BUCKLES/CLIPS

Catalogue Number	Band Width	Pieces per Box
STANDARD-DUTY BUCKLES		
PB-253	$\frac{3}{8}$ "	100
PB-254	$\frac{1}{2}$ "	100
PB-255	$\frac{5}{8}$ "	100
PB-256	$\frac{3}{4}$ "	100
HEAVY-DUTY BUCKLES		
PG-440	$\frac{3}{4}$ "	25
PG-441	1"	25
PG-442	$1\frac{1}{4}$ "	25
LIGHT-DUTY CLIPS		
PC-153	$\frac{3}{8}$ "	100
PC-154	$\frac{1}{2}$ "	100
PC-155	$\frac{5}{8}$ "	100
PC-156	$\frac{3}{4}$ "	100




COIL CLAMP STRAPPING LOKS

Catalogue Number	Width
PL-3-S	$\frac{3}{8}$ "
PL-5-S	$\frac{5}{8}$ "



BRACKETS

Catalogue Number	Description (50 pieces per box)
STRAIGHT LEG	
PD-001	S.S. with S.S. bolt & washer
PD-004	S.S. with no bolt
PD-011	Galv. w/ galv. bolt & washer
PD-014	Galv. with no bolt
FLARED LEG	
PD-021	S.S. with S.S. bolt & washer
PD-022	S.S. with no bolt
PD-031	Galv. w/ galv. bolt & washer
PD-032	Galv. with no bolt



Punch-Lok Buckles, Clips, Brackets

P-1 Locking Tool


The original. Made like no other tool!
Designed for fast, economical application of punch-type clamps. The portable P-1 weighs only 2 1/2 pounds. Drop forged and double plated tempered steel construction.



Catalogue Number	Description
P-1	Locking tool for punch clamps

P-3 Locking Tool

Similar to the Model P-1, the Model P-3 is for application of 3/8" wide punch-type clamps only. It will not fit 5/8" wide clamps. Double plated.



Catalogue Number	Description
P-3	Locking tool for 3/8" punch clamps only

P-38 Clamp-Master Tool Set

The original, handy, low cost tool set for applying punch-type clamps. Weighs less than one pound. Excellent for confined working areas and for on-job repair and replacement work. Fits 3/8" and 5/8" wide clamps. Double plated.



Catalogue Number	Description
P-38	Clamp-Master tool set for 3/8" and 5/8" punch clamps

PB-001 Banding Tool

Forged double plated tensioning tool with built-in cutter. Used to apply J-Lok clamps, banding and buckles.



Catalogue Number	Description
PB-001	Banding Tool
PB-001-H	H.D. Banding Tool

D-550 Clamp Cutter

Powerful 14" cutter removes any punchtype clamp with minimum effort. Rugged drop forged heat treated high-carbon steel construction. Double plated. "All New Design"



Catalogue Number	Description
D-550	Clamp Cutter

D-225-A Mallet


Specially designed for the punch-locking step in applying punch-type clamps. Malleable iron head has softer striking surface for long tool life.



Catalogue Number	Description
D-225-A	Mallet

Tension-Air TA-3

Production Hose Clamping Machine
Totally automatic. No manual punching or bending required. No faster machine available for production clamping. Excellent for hose distributors, contractors, mines, factories, shipyards and railroads.



Catalogue Number	Description
TA-3	Tension-Air automatic clamping machine