


Variable Speed Cog-Belt®

- SMOOTH RUNNING
- OIL & HEAT RESISTANT
- WIDE RANGE OF SPEED CHANGE
- LONG BELT LIFE

For use with variable speed pulleys to gain a wide range of driven speeds. Provides exact speed control. Same high standard of quality in a replacement belt that Carlisle provides the OEM. Raw Edge sidewalls improve gripping action. Unitized belt bonding and Neoprene rubber compounds provide superior resistance to aging caused by wear, oil, heat, grease and harmful environmental factors. Static dissipating. Wide selection of sizes.



EXPLANATION OF NOMENCLATURE

Top Width	Intended Pulley Angle	Variable Speed	Length (inches)
$\frac{14}{\text{---}}$	$\frac{22}{\text{---}}$	$\frac{V}{\text{---}}$	$\frac{460}{\text{---}}$
14/16" (or 7/8")	22°		460/10" (or 46.0")

Variable Speed Cog-Belt® (continued)

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
1228V255	3/4	26.1	19V650A28	0.2
1422V270	7/8	27.6	22V685A22	0.4
1422V290	7/8	29.6	22V735A22	0.4
1422V300	7/8	30.6	22V760A22	0.4
1422V330	7/8	33.6	22V840A22	0.4
1422V340	7/8	34.6	22V865A22	0.4
1422V360	7/8	36.6	22V915A22	0.4
1422V400	7/8	40.6	22V1015A22	0.5
1422V420	7/8	42.6	22V1065A22	0.5
1422V440	7/8	44.6	22V1120A22	0.5
1422V460	7/8	46.6	22V1170A22	0.5
1422V466	7/8	47.2	22V1185A22	0.5
1422V470	7/8	47.6	22V1195A22	0.5
1422V480	7/8	48.6	22V1220A22	0.5
1422V540	7/8	54.6	22V1370A22	0.6
1422V600	7/8	60.6	22V1525A22	0.7
1422V660	7/8	66.6	22V1675A22	0.8
1422V720	7/8	72.6	22V1830A22	0.8
1422V780	7/8	78.6	22V1980A22	0.9
1430V215	7/8	21.9	22V545A30	0.3
1626V262	1	26.8	25V665A26	0.4
1626V293	1	29.9	25V745A26	0.5
1626V304	1	31	25V770A26	0.5
1626V330	1	33.6	25V840A26	0.5
1626V339	1	34.5	25V860A26	0.5
1626V384	1	39	25V975A26	0.6
1626V428	1	43.4	25V1085A26	0.7
1626V440	1	44.6	25V1120A26	0.7
1626V513	1	51.9	25V1305A26	0.8
1626V517	1	52.3	25V1315A26	0.8
1626V604	1	61	25V1535A26	0.9
1626V700	1	70.6	25V1780A26	1.1
1628V210	1	21.8	25V535A28	0.4
1628V315	1	32	25V800A28	0.5
*1632V210	1	21.5	25V535A32	0.3
*1632V220	1	22.5	25V560A32	0.4
1822V328	1-1/8	33.4	29V835A22	0.6
1828V368	1-1/8	37.5	29V935A28	1.0
1922V256	1-3/16	26.2	30V650A22	0.4
1922V277	1-3/16	28.3	30V705A22	0.5
1922V282	1-3/16	28.8	30V715A22	0.5
1922V298	1-3/16	30.4	30V755A22	0.5
1922V302	1-3/16	30.8	30V765A22	0.6
1922V321	1-3/16	32.7	30V815A22	0.6
1922V332	1-3/16	33.8	30V845A22	0.7
1922V363	1-3/16	36.9	30V920A22	0.6
1922V381	1-3/16	38.7	30V970A22	0.7
1922V386	1-3/16	39.2	30V980A22	0.7
1922V403	1-3/16	40.9	30V1025A22	0.7
1922V417	1-3/16	42.3	30V1060A22	0.7
1922V426	1-3/16	43.2	30V1080A22	0.7
1922V443	1-3/16	44.9	30V1125A22	0.8
1922V454	1-3/16	46	30V1155A22	0.8
1922V460	1-3/16	46.6	30V1170A22	0.8
1922V484	1-3/16	49	30V1230A22	0.8
1922V526	1-3/16	53.2	30V1335A22	0.9
1922V544	1-3/16	55	30V1380A22	0.9
1922V604	1-3/16	61	30V1535A22	1.1
1922V630	1-3/16	63.6	30V1600A22	1.1
1922V646	1-3/16	65.2	30V1640A22	1.1

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
1922V666	1-3/16	67.2	30V1690A22	1.2
1922V686	1-3/16	69.2	30V1740A22	1.2
1922V706	1-3/16	71.2	30V1795A22	1.2
1922V726	1-3/16	73.2	30V1845A22	1.2
1922V751	1-3/16	75.7	30V1910A22	1.3
1922V756	1-3/16	76.2	30V1920A22	1.3
1922V806	1-3/16	81.2	30V2045A22	1.6
1922V846	1-3/16	85.2	30V2150A22	1.7
1922V891	1-3/16	89.7	30V2265A22	1.8
1922V966	1-3/16	97.2	30V2455A22	1.9
1926V250	1-3/16	25.9	30V635A26	0.5
1926V275	1-3/16	28.3	30V700A26	0.5
*1926V390	1-3/16	39.6	30V990A26	0.8
1930V366	1-3/16	37.4	30V930A30	0.8
1930V375	1-3/16	38.3	30V950A30	0.9
1930V400	1-3/16	40.8	30V1015A30	0.9
1930V425	1-3/16	43.3	30V1080A30	1.0
1930V431	1-3/16	43.9	30V1095A30	1.0
1930V491	1-3/16	49.9	30V1245A30	1.1
1930V530	1-3/16	53.8	30V1345A30	1.2
1930V541	1-3/16	54.9	30V1375A30	1.3
1930V591	1-3/16	59.9	30V1500A30	1.3
1930V600	1-3/16	60.8	30V1525A30	1.4
1930V641	1-3/16	64.9	30V1630A30	1.5
1930V691	1-3/16	69.9	30V1755A30	1.6
1930V750	1-3/16	75.8	30V1905A30	1.7
1930V791	1-3/16	79.9	30V2010A30	1.8
1930V891	1-3/16	89.9	30V2260A30	2.0
1930V991	1-3/16	99.9	30V2520A30	2.3
1930V1091	1-3/16	109.9	30V2770A30	2.5
1930V1191	1-3/16	119.9	30V3030A30	2.7
*2126V309	1-5/16	31.5	33V785A26	0.7
2126V468	1-5/16	47.4	33V1190A26	0.8
2226V307	1-3/8	31.3	35V780A26	0.8
2230V266	1-3/8	27.6	35V675A30	0.6
2230V275	1-3/8	28.5	35V700A30	0.6
2230V326	1-3/8	33.6	35V830A30	0.7
*2230V375	1-3/8	38.4	35V950A30	0.9
2322V364	1-7/16	37.1	37V925A22	0.8
2322V396	1-7/16	40.3	37V1005A22	0.9
2322V421	1-7/16	42.8	37V1070A22	0.9
2322V441	1-7/16	44.8	37V1120A22	1.0
2322V481	1-7/16	48.8	37V1220A22	1.1
2322V486	1-7/16	49.3	37V1235A22	1.1
2322V521	1-7/16	52.8	37V1325A22	1.1
2322V541	1-7/16	54.8	37V1375A22	1.2
2322V601	1-7/16	60.8	37V1525A22	1.3
2322V621	1-7/16	62.8	37V1575A22	1.5
2322V661	1-7/16	66.8	37V1680A22	1.5
2322V681	1-7/16	68.8	37V1730A22	1.5
2322V701	1-7/16	70.8	37V1780A22	1.5
2322V721	1-7/16	72.8	37V1830A22	1.6
2322V801	1-7/16	80.8	37V2030A22	1.8
2322V826	1-7/16	83.3	37V2100A22	1.8
2322V846	1-7/16	85.3	37V2150A22	2.0
2322V886	1-7/16	89.3	37V2250A22	2.0
2322V921	1-7/16	92.8	37V2340A22	2.0
2322V1001	1-7/16	100.8	37V2540A22	2.2
2322V1061	1-7/16	106.8	37V2700A22	2.3
2326V310	1-7/16	31.5	37V785A26	0.7

Variable Speed Cog-Belt® (continued)

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
2326V359	1-7/16	36.6	37V910A26	0.7
2330V273	1-7/16	28.0	37V695A30	0.6
2426V343	1-1/2	35.0	38V870A26	1.1
2428V707	1-1/2	71.4	38V1795A28	2.1
2430V297	1-1/2	30.4	38V755A30	0.9
2436V331	1-1/2	33.8	38V840A36	0.8
2430V345	1-1/2	35.2	38V876A30	1.0
2526V314	1-9/16	32.0	40V800A26	0.7
2530V309	1-9/16	31.6	40V785A30	0.9
2530V470	1-9/16	48.1	40V1195A30	1.9
2530V490	1-9/16	50.1	40V1245A30	2.0
2530V530	1-9/16	54.1	40V1345A30	2.2
2530V550	1-9/16	56.1	40V1400A30	2.2
2530V575	1-9/16	58.6	40V1460A30	2.3
2530V595	1-9/16	60.6	40V1510A30	2.4
2530V610	1-9/16	62.1	40V1550A30	2.5
2530V630	1-9/16	64.1	40V1600A30	2.6
2530V660	1-9/16	67.1	40V1675A30	2.7
2530V670	1-9/16	68.1	40V1700A30	2.7
2530V690	1-9/16	70.1	40V1755A30	2.8
2530V700	1-9/16	71.1	40V1780A30	2.8
2530V730	1-9/16	74.1	40V1855A30	3.0
2530V740	1-9/16	75.1	40V1880A30	3.0
2530V750	1-9/16	76.1	40V1905A30	3.1
2530V790	1-9/16	80.1	40V2010A30	3.2
2530V840	1-9/16	85.1	40V2130A30	3.4
2530V890	1-9/16	90.1	40V2260A30	3.6
2530V934	1-9/16	94.5	40V2370A30	3.8
2530V990	1-9/16	100.1	40V2510A30	4.0
2530V1090	1-9/16	110.1	40V2770A30	4.4
2530V1190	1-9/16	120.1	40V3020A30	4.8
2530V1290	1-9/16	130.1	40V3280A30	5.3
2530V1490	1-9/16	150.1	40V3780A30	6.1
2530V1690	1-9/16	170.1	40V4290A30	6.9
2626V369	1-5/8	37.6	41V935A26	1.3
2626V388	1-5/8	39.6	41V985A26	0.9
2630V345	1-5/8	35.8	41V875A30	0.9
2636V332	1-5/8	33.9	41V845A36	0.8
2822V778	1-3/4	78.6	44V1975A22	4.0
2826V412	1-3/4	42.0	44V1045A26	1.2
2826V452	1-3/4	46.0	44V1150A26	1.3
2830V337	1-3/4	34.5	44V855A30	1.1
2830V363	1-3/4	37.0	44V920A30	1.2
2830V366	1-3/4	37.2	44V930A30	1.0
2830V367	1-3/4	37.5	44V930A30	1.3
2830V393	1-3/4	40.0	44V1000A30	1.0
2830V396	1-3/4	40.5	44V1005A30	1.1
2830V422	1-3/4	42.9	44V1070A30	1.2
2830V428	1-3/4	43.4	44V1085A30	1.3
2836V343	1-3/4	35.1	44V870A36	1.2
2836V361	1-3/4	36.9	44V915A36	1.3
2836V380	1-3/4	38.8	44V965A36	1.2
2926V366	1-13/16	37.4	46V930A26	1.2
2926V400	1-13/16	40.8	46V1015A26	1.3
2926V426	1-13/16	43.4	46V1080A26	1.4
2926V471	1-13/16	47.9	46V1195A26	1.5
2926V477	1-13/16	48.5	46V1210A26	1.5
2926V486	1-13/16	49.4	46V1235A26	1.5
2926V491	1-13/16	49.9	46V1245A26	1.6
2926V521	1-13/16	52.9	46V1325A26	1.7
2926V546	1-13/16	55.4	46V1385A26	1.8

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
2926V574	1-13/16	58.2	46V1460A26	1.9
2926V586	1-13/16	59.4	46V1490A26	1.9
2926V606	1-13/16	61.4	46V1540A26	2.0
2926V616	1-13/16	62.4	46V1565A26	2.0
2926V636	1-13/16	64.4	46V1615A26	2.1
2926V646	1-13/16	65.4	46V1640A26	2.1
2926V666	1-13/16	67.4	46V1690A26	2.2
2926V686	1-13/16	69.4	46V1740A26	2.2
2926V706	1-13/16	71.4	46V1795A26	2.3
2926V726	1-13/16	73.4	46V1845A26	2.4
2926V776	1-13/16	78.4	46V1970A26	2.5
2926V786	1-13/16	79.4	46V1995A26	2.6
2926V834	1-13/16	84.2	46V2120A26	2.7
2926V856	1-13/16	86.4	46V2170A26	2.8
2926V891	1-13/16	89.9	46V2260A26	3.0
2926V906	1-13/16	91.4	46V2300A26	3.0
2926V966	1-13/16	97.4	46V2450A26	3.2
2926V1006	1-13/16	101.4	46V2560A26	3.3
3226V392	2	39.8	51V955A26	0.6
3226V395	2	40.3	51V1005A26	1.8
3226V400	2	40.8	51V1015A26	1.8
3226V439	2	43.8	51V1110A26	1.9
3226V450	2	45.8	51V1145A26	2.0
3226V465	2	47.3	51V1180A26	2.1
3226V505	2	51.3	51V1285A26	2.2
3226V514	2	52.2	51V1305A26	2.2
3226V545	2	55.3	51V1385A26	2.4
3226V585	2	59.3	51V1485A26	2.5
3226V603	2	61.1	51V1530A26	2.5
3226V663	2	67.1	51V1685A26	2.8
3226V723	2	73.1	51V1835A26	3.0
3226V783	2	79.1	51V1990A26	3.3
3226V843	2	85.1	51V2140A26	3.5
3226V903	2	91.1	51V2290A26	3.8
3226V963	2	97.1	51V2450A26	4.0
3226V1023	2	103.1	51V2600A26	4.3
3226V1083	2	109.1	51V2750A26	4.5
3230V419	2	43.1	51V1065A30	1.7
3230V560	2	57.0	51V1420A30	2.6
3230V710	2	72.1	51V1800A30	3.8
3230HV528	2	53.9	51HV1340A30	2.2
3230HV553	2	56.4	51HV1405A30	2.4
3230HV570	2	58.1	51HV1450A30	2.4
3230HV585	2	59.6	51HV1485A30	2.5
3230HV603	2	61.4	51HV1530A30	2.5
3230HV613	2	62.4	51HV1555A30	2.5
3230HV620	2	63.1	51HV1575A30	2.6
3230HV626	2	63.7	51HV1590A30	2.6
3230HV644	2	66.5	51HV1635A30	2.7
3230HV656	2	66.7	51HV1665A30	2.7
3230HV670	2	68.1	51HV1700A30	2.8
3230HV685	2	69.6	51HV1740A30	2.9
3230HV702	2	71.3	51HV1785A30	3.5
3230HV723	2	73.4	51HV1835A30	3.0
3230HV821	2	83.2	51HV2090A30	3.5
3230HV856	2	86.7	51HV2175A30	5.1
3230HV931	2	94.2	51HV2340A30	5.5
3230HV960	2	97.1	51HV2440A30	4.0
3230HV1060	2	107.1	51HV2690A30	6.3
3236V342	2	35.2	51V870A36	1.3

Variable Speed Cog-Belt® (continued)

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
3236V369	2	37.9	51V935A36	1.4
3236HV389	2	40.2	51HV990A36	1.5
3236V432	2	44	51V1095A36	1.7
3326V478	2-1/16	48.7	52V1215A26	1.8
3432V450	2-1/8	45.6	56V1145A32	1.8
3432V456	2-1/8	46.4	56V1160A32	1.8
3432V480	2-1/8	48.6	56V1220A32	2.0
3432V484	2-1/8	49.2	56V1230A32	2.1
3432V534	2-1/8	54.2	56V1355A32	2.3
3636V479	2-1/4	48.7	57V1215A36	2.6
3726V558	2-5/16	56.7	59V1415A26	3.1
3826V459	2-3/8	46.9	60V1165A26	2.1
3826V465	2-3/8	47.5	60V1180A26	2.3
3830V510	2-3/8	52.2	60V1295A30	3.1
3830V580	2-3/8	59	60V1475A30	3.5
3830V587	2-3/8	59.7	60V1490A30	2.9
3836V418	2-3/8	42.8	60V1060A36	2.1
3836V426	2-3/8	43.6	60V1080A36	2.1
3836V654	2-3/8	66.8	60V1600A36	3.3
3836V734	2-3/8	74.8	60V1830A36	3.7
3836V794	2-3/8	80.4	60V2015A36	3.9
4030V538	2-1/2	54.8	64V1365A30	3.3
4036V541	2-1/2	55.2	64V1375A36	3.4
4036V574	2-1/2	58.4	64V1460A36	3.5
4230V556	2-5/8	56.8	67V1410A30	3.2
4230V605	2-5/8	61.5	67V1535A30	3.8
4230V653	2-5/8	66.3	67V1660A30	5.0
4430V510	2-3/4	52.1	70V1295A30	3.6
4430V530	2-3/4	53	—	3.7
4430V548	2-3/4	55.9	70V1390A30	3.7
4430V555	2-3/4	56.6	70V1410A30	3.8
4430V570	2-3/4	58.1	70V1450A30	3.9
4430V578	2-3/4	58.9	70V1470A30	4.2
4430V610	2-3/4	62.1	70V1550A30	4.3
4430V630	2-3/4	64.1	70V1600A30	4.5
4430V660	2-3/4	67.1	70V1675A30	4.6
4430V670	2-3/4	68.1	70V1700A30	4.8
4430V690	2-3/4	70.1	70V1755A30	5.0
4430V700	2-3/4	71.1	70V1780A30	5.0
4430V718	2-3/4	72.9	70V1825A30	5.2
4430V730	2-3/4	74.1	70V1855A30	5.3
4430V740	2-3/4	75.1	70V1880A30	5.3
4430V760	2-3/4	77.1	70V1930A30	5.5
4430V767	2-3/4	78.1	70V1950A30	5.6
4430V790	2-3/4	80.1	70V2010A30	5.7
4430V850	2-3/4	86.1	70V2160A30	6.1
4430V910	2-3/4	92.1	70V2310A30	6.6
4430V970	2-3/4	98.1	70V2460A30	7.0
4430V1030	2-3/4	104.1	70V2620A30	7.5
4430V1090	2-3/4	110.1	70V2770A30	7.9
4430V1150	2-3/4	116.1	70V2920A30	8.3
4430V1320	2-3/4	133.1	70V3350A30	9.6
4430V1460	2-3/4	147.1	70V3710A30	10.4
4430V1610	2-3/4	162.1	70V4090A30	11.7
4436V329	2-3/4	34	70V835A36	2.3
4436V525	2-3/4	53.6	70V1335A36	3.8
4436V551	2-3/4	56.2	70V1400A36	3.9
4436V561	2-3/4	57.2	70V1425A36	4.1
4436V576	2-3/4	58.7	70V1465A36	4.2
4436V646	2-3/4	65.7	70V1640A36	4.5

Part No.	Top Width (inches)	Outside Length (inches)	Metric No.	Weight (lbs.)
4626V596	2-7/8	60.9	73V1515A26	5.0
4630V650	2-7/8	66.3	73V1650A30	5.1
4630V663	2-7/8	67.6	73V1685A30	6.0
4630V683	2-7/8	69.2	73V1735A30	6.6
4630V733	2-7/8	74.3	73V1860A30	5.8
4636V613	2-7/8	62.6	73V1555A36	5.2
4830V602	3	61.5	76V1530A30	4.7
4830V653	3	66.4	76V1660A30	5.1
4830V699	3	71.5	76V1775A30	5.8
4830V750	3	76.3	76V1905A30	6.1
4836V588	3	59.9	76V1495A36	4.5
4836V608	3	61.8	76V1545A36	4.7
4836V618	3	62.9	76V1570A36	4.8
4836V642	3	65.3	76V1630A36	5.0
4836V655	3	66.6	76V1665A36	5.1
4836V670	3	68.1	76V1700A36	5.9
4836V710	3	72.1	76V1805A36	6.3
4836V750	3	76.1	76V1905A36	6.7
4836V800	3	81.1	76V2030A36	7.2
4836V850	3	86.1	76V2160A36	7.6
4836V900	3	91.1	76V2286A36	8.0
4836V950	3	96.1	76V2415A36	8.5
4836V1000	3	101.1	76V2540A36	9.8
4836V1060	3	107.1	76V2690A36	10.3
4836V1120	3	113.1	76V2845A36	10.9
4836V1180	3	119.1	76V2995A36	11.5
4836V1250	3	126.1	76V3175A36	12.2
5130V732	3-3/16	74.3	81V1860A30	6.1
5130V799	3-3/16	81.2	81V2030A30	6.7
5228V930	3-1/4	94.2	83V2360A28	10.4
5230V734	3-1/4	74.7	83V1865A30	8.4
5230V867	3-1/4	87.9	83V2200A30	9.6
5430V783	3-3/8	79.9	86V1990A30	9.0
5636V750	3-1/2	76.4	89V1905A36	9.0
5636V774	3-1/2	78.8	89V1965A36	9.1
5636V845	3-1/2	85.9	89V2150A36	1.1
5830V756	3-5/8	77	92V1920A30	9.9
*6136V751	3-13/16	76.4	95V1910A36	8.5
6136V756	3-13/16	76.9	95V1920A36	8.5

*Double Cog

Standard pack quantity is one unless otherwise indicated.